



**Kemet**

# KEMET INDUSTRIAL SPRAY WASHING MACHINES

[www.kemet.com.au](http://www.kemet.com.au)

Kemet stock and distribute this diverse size range of quality, European made Stainless steel Parts washing machines. The Parts Washing Machines are especially suited for metal cleaning, metal finishing and metal treatment with hot water and cleaning detergents. These machines have been designed and engineered to a superior quality standard for use in the industrial environment.

Industrial Parts Washers can be used for metal cleaning, degreasing, pickling, phosphating, lubrication, passivation, corrosion protection, stripping, pre-painting, etc...

### Applications & Market Sectors:

- Automotive services and garages
- Truck, Bus, Tractor, Construction Machinery services and garages
- Engine replacement and rectifying
- Machined metal parts cleaning
- Cleaning before coating and painting
- Sintered and powdered metals
- Mining service workshops
- Oil and Gas service workshops
- Auto spare part cleaning
- Mould cleaning
- Cast cleaning

- The cleaning liquid can be used for several working cycles until it becomes an ineffective cleaner.
- Every cycle runs in a closed loop without drainage.
- Working place remains clean.
- The waste cleaning liquid can be collected in the barrels or in sewage lagoons to protect environment.

Kemet parts washing machines have 650 mm to 2300 mm length, 350 mm to 700 mm height and 150 to 1000 kg loading capacity.

We invite you to take a moment to review the many industrial parts washing machines that we have. We are dedicated to providing the best possible solution for your parts cleaning needs. We are here to assist you.



## MODEL 750A – 850A – 1000A PARTS WASHING MACHINE

	MODEL 750 A	MODEL 850 A	MODEL 1000 A
Rotating Basket Diameter ( mm )	650	750	900
Loading Height ( mm )	350	350	400
Loading Capacities ( kg )	150	200	250
Pump Pressure ( bar )	4	4	4
Pump Quantity ( pcs )	1	1	1
Heater Power ( kw )	6	6	6
Electric ( V / phase )	380/3	380/3	380/3
Digital Timer ( minute )	0-60	0-60	0-60
Digital Thermostat ( C° )	0-95	0-95	0-95
Cover System	Shock Absorber	Shock Absorber	Shock Absorber
Body Structure	430 Stainless	430 Stainless	430 Stainless
Other Parts	4140 Steel	4140 Steel	4140 Steel
Heat Insulation	Standard	Standard	Standard
Nozzle Quantity ( pcs )	70	70	70
Automatic Ignition System	Standard	Standard	Standard
Machine Dimensions, width X length X height ( cm )	80 X 100 X 110	90 X 110 X 115	100 X 120 X 120
Machine Weight ( kg )	100	110	130
Parts Washing Basket	Standard	Standard	Standard
Warranty	2 Year	2 Year	2 Year



## MODEL 1250 A – 1250 P – 1500 P PARTS WASHING MACHINE

	MODEL 1250 A	MODEL 1250 P	MODEL 1500 P
Rotating Basket Diameter ( mm )	1150	1150	1300
Loading Height ( mm )	650	650	650
Loading Capacity ( kg )	500	500	700
Pump Pressure ( bar )	6	6	6
Pump Quantity ( pcs )	2	2	2
Heater Power ( kw )	15	15	15
Electric ( V / phase )	380/3	380/3	380/3
Digital Timer ( minute )	0-60	0-60	0-60
Digital Thermostat ( C° )	0-95	0-95	0-95
Cover System	Shock Absorber	Pneumatic	Pneumatic
Body Structure	430 Stainless	430 Stainless	430 Stainless
Other Parts	4140 Steel	4140 Steel	4140 Steel
Heat Insulation	Standard	Standard	Standard
Nozzle Quantity ( pcs )	140	140	140
Automatic Ignition System	Standard	Standard	Standard
Automatic Basket Stop System	Standard	Standard	Standard
Cover Safety System	Standard	Standard	Standard
Loading Car	Standard	Standard	Standard
Machine Dimensions, width X length X height ( cm )	125 X 145 X 150	130 x 150 x 175	150 x 170 x 195
Height while Cover up ( cm )	210	260	280
Machine Weight ( kg )	250	350	500
Parts Washing Basket	Standard	Standard	Standard
Warranty	2 Year	2 Year	2 Year





## MODEL 2000 P – 2500 P PARTS WASHING MACHINE

	MODEL 2000 P	MODEL 2500 P
Rotating Basket Diameter ( mm )	1800	2150
Loading Height ( mm )	700	700
Loading Capacity ( kg )	800	1000
Pump Pressure ( bar )	6	6
Pump Quantity ( pcs )	3	4
Heater Power ( kw )	22.5	22.5
Electric ( V / phase )	380/3	380/3
Digital Timer ( minute )	0-60	0-60
Digital Thermostat ( C° )	0-95	0-95
Cover System	Pneumatic	Pneumatic
Body Structure	430 Stainless	430 Stainless
Other Parts	4140 Steel	4140 Steel
Heat Insulation	Standard	Standard
Nozzle Quantity ( pcs )	210	280
Automatic Ignition System	Standard	Standard
Automatic Basket Stop System	Standard	Standard
Cover Safety System	Standard	Standard
Loading Car	Standard	Standard
Machine Dimensions, width X length X height ( cm )	210 X 230 X 200	240 X 290 X 250
Height while Cover up ( cm )	280	320
Machine Weight ( kg )	700	1000
Parts Washing Basket	Standard	Standard
Warranty	2 Year	2 Year

Kemet International Limited

Parkwood Trading Estate, Maidstone, Kent, ME15 9NJ, UK

Tel: +44(0) 1622 755287 Fax: +44(0) 1622 670915 Email: sales@kemet.co.uk Web: www.kemet.co.uk